### TECHNICAL SPECIFICATION

| Body Dimensions    |         |
|--------------------|---------|
| Length             | 1995 mm |
| Width              | 754 mm  |
| Height             | 1050 mm |
| Wheel Base         | 1245 mm |
| Ground Clearance   | 168 mm  |
| Kerb Weight        | 99 kg   |
| Seat Length        | 677 mm  |
| Seat Height        | 786 mm  |
| Fuel Tank Capacity | 9 L     |
|                    |         |

| Engine            |                     |
|-------------------|---------------------|
| Туре              | 4 Stroke, SI Engine |
| Displacement      | 98.98 cc            |
| Max Engine Output | 5.43 Kw @7500 rpm   |
| Max Torque        | 8.05 N-m @ 5000 rpm |
| Fuel System       | PGM - FI            |
| Bore X Stroke     | 47.0 X 57.049 mm    |
| Compression ratio | 10.1:1              |
| Starting Method   | Self/Kick start     |

| Transmission |                       |
|--------------|-----------------------|
| Clutch Type  | Multiplate Wet Clutch |
| No. of Goors | A Goar                |

| Tyres & Brakes            |                          |
|---------------------------|--------------------------|
| Tyre size & Type (Front)  | 2.75 -17 41P, Tube Type  |
| Tyre size & Type (Rear)   | 3.00 - 17 50P, Tube Type |
| Brake Type & Size (Front) | Drum - 130 mm            |
| Brake Type & Size (Rear)  | Drum - 110 mm            |
|                           |                          |

| Frames & Suspensions |              |
|----------------------|--------------|
|                      |              |
| Frame Type           | Diamond Type |
| Front Suspension     | Telescopic   |
| Rear Suspension      | Twin         |

| Electricals |            |
|-------------|------------|
| Battery     | 12V, 3.0Ah |
| Head Lamp   | Bulb Type  |

12V, 3.0Ah

Bulb Type

• Product shown in the picture may vary from actual product available in the n

Meeraj Honda
RAJ AUTOMOTIVE Ward no-2&3, Butibori
Nagbur Stamp
Tel: 8888881222
Mob: 8888881222
Mob: 8888881222

Honda Motorcycle & Scooter India Pvt. Ltd., Registered Office: Plot No. 1, Sector

Honda Motorcycle & Scooter India Pvt. Ltd., Registered Office: Plot No. 1, Sector - 03, IMT Manesar, Distt. Gurugram, (Haryana) - 122050, India; Website: www.honda2wheelersindia.com; Customer Care: customercare@honda.hmsi.in





### 3+7 YEARS WARRANTY PACKAGE

\*Attractive 10 years warranty package, comprising 3 years standard and 7 years optional service warranty.









IMPRESSIVE MILEAGE



reduced friction and improved performance and fuel efficiency.



03

Advanced sensor-based system ensuring constant optimum fuel flow to the engine based on the riding style, allowing for higher efficiency and lesser emissions.

### Reduced Friction





Reduced friction and constant ideal engine temperature by piston cooling jet, offset cylinder, and rocker roller arm working together.



Honda's 100cc BS VI OBD2B-compliant engine ensures superb performance, unmatched reliability, and best-in-class mileage. It offers optimum riding experience While following OBD2B norms.





05

# DELIGHTFUL COMFORT

## Efficient CBS Braking



Reduced braking distance for ultimate riding confidence, powered by the Combi-Brake System with Equalizer.

# Superb Suspension Dynamics

Perfect suspension setup makes riding on every road a breeze.



Long journeys made easy with longer and more comfortable seating with awesome ergonomics.



Riders can easily be flat-footed with optimum seat height that enhances comfort.

# SUPERB STILE Stylish Graphics NEW



All new enriched and splendid graphic design that compliments the overall look of the bike.



The symbol of never-ending trust, quality, and reliability.









07

Bright and elegant tail lamp gives the bike an imposing look from the back.



All-black alloy wheels accentuate the overall look of the bike.





Better handling due to light frame and reduced weight while being tougher and more durable. Suited for variable road conditions and easier load carrying.



10

Perfect for tight corners and narrow roads.



Long wheelbase and high ground clearance makes bike stable at high speeds and broken roads, adding to rider's confidence.